



## Computer-Aided Solvent Selection Framework

Mitrofanov, Igor; Sin, Gürkan; Gani, Rafiqul

*Publication date:*  
2011

[Link back to DTU Orbit](#)

*Citation (APA):*

Mitrofanov, I., Sin, G., & Gani, R. (2011). *Computer-Aided Solvent Selection Framework*. Abstract from CAPE Forum 2011, Bradford, United Kingdom.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# COMPUTER-AIDED SOLVENT SELECTION FRAMEWORK

I. Mitrofanov<sup>1</sup>, G. Sin<sup>1</sup>, R. Gani<sup>1</sup>

<sup>1</sup> CAPEC, Department of Chemical and Biochemical Engineering, Technical University of Denmark, Soeltofts Plads Building 229, Kgs. Lyngby DK-2800, Denmark

**Keywords:** Computer-Aided Molecular Design, CAMD, solvent selection, solvents

**Abstract:** Organic solvents have of great importance in modern industry. They are widely used as a reaction medium, as a reactant or as carrier in chemical, fine chemical, pharmaceutical, food, and drugs industry. Also solvents are playing important role in separation processes, organic synthesis, product delivery and etc. [1]. Solvent selection/design is a complex process, which includes some levels for indentifying best candidates depending on different criteria for evaluating solvent performance.

However because of the excessive consumption and utilization in a wide range of industries, millions of tons solvents have to be disposed off every year [2]. Therefore, it becomes very important to minimize and optimize the use of organic solvents as much as possible, to achieve Green Chemistry Principles [3]. To this end, a systematic methodology to select greener solvent for the promotion of organic reactions (Figure 1) has already been developed [4,5]. This methodology is based on thermodynamic properties of solvents, reactants and products together with the knowledge of reaction chemistry and conditions. The current framework is a combination of knowledge from industrial practice and computer-aided tools for property prediction and computer-aided molecular design (CAMD) principles.




Figure 1. A systematic rule-based methodology to identify a suitable solvent for organic synthesis

Accordingly, the solvent selection occurs in two stages. In the first stage, a list of commonly used solvents is used to identify those solvents that match a sub-set of user-specified constraints, and based on this, a score allocated to each solvent. Simultaneously, a computer-aided molecular design (CAMD) technique is used to generate a list of solvents candidates which are ranked with

respect to their allocated scores. The scores are assigned from the calculated values of reaction-solvent (RS) indices following the reaction-solvent rules.

In the second stage, the candidate solvents are further evaluated through detailed calculations to identify most promising solvents for further experiments or other verification tests [6].

The Solvent Selection Framework is currently being extended to include multi-stage reactions, more complex reaction systems and other problems involving solvent substitution/selection in various types of solvent-based separations and cleaning.

## References

1. R. Gani, C. J. Gonzalez, A. Kate, P. A. Crafts, A Modern Approach to Solvent Selection. *Chemical Engineering Journal* (2006), 30-43.
2. P. K. W. Lau, A. Koenig, Management, disposal and recycling of waste industrial organic solvents in Hong Kong. *Chemosphere* (2001), 44(1), 9-15
3. P.T. Anastas, J.C. Warner, *Green Chemistry: theory and practice*, Oxford: Oxford University Press, U.K., 1998
4. R. Gani, C. Jimenez-Gonzalez, D.J.C. Constable, Method for Selection of solvents for promotion of organic reactions. *Computers and Chemical Engineering* 29 (2005) 1661-1676.
5. M. Folic, R. Gani, C. Jiménez-González, D.J.C. Constable, Systematic Selection of Green Solvents for Organic Reaction Systems. *Chinese Journal of Chemical Engineering*. 16(3) (2008) 376-383.
6. M. Folic, R. Gani, C. Jiménez-González, D.J.C. Constable, P. Arenas Gomez, Solvents in Organic Synthesis: Replacement and Multi-step Reaction Systems. *Computers and Chemical Engineering*, 32(2008)2420-2444.