



## East-, Central- and West-China's future energy consumption and emission pathways: Insights from soft-linking two global models

Mischke, Peggy; Dai, Hancheng; Xie, Xuxuan

*Publication date:*  
2014

[Link back to DTU Orbit](#)

*Citation (APA):*

Mischke, P., Dai, H., & Xie, X. (2014). East-, Central- and West-China's future energy consumption and emission pathways: Insights from soft-linking two global models. Sound/Visual production (digital)

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# East-, Central- and West-China's future energy consumption and emission pathways: Insights from soft-linking two global models

## Methodologies linking energy system models and economic models

University College Cork - ETSAP-UCC Workshop

Cork, Ireland

4th February 2014

*Peggy Mischke*

*Technical University of Denmark (DTU), Energy System Analysis*

[peym@dtu.dk](mailto:peym@dtu.dk)

*Hancheng Dai*


*The National Institute for Environmental Studies (NIES), Japan*

[dai.hancheng@nies.go.jp](mailto:dai.hancheng@nies.go.jp)

*Xuxuan Xie*

*Energy Research Institute, National Development and Reform Commission, P.R. China*

[xiexx@eri.org.cn](mailto:xiexx@eri.org.cn)



## Motivation and research interest

### CHINA'S RISE:

An improved understanding of plausible future pathways for China's economy and energy system is becoming more important to understand global energy markets, energy security, greenhouse gas emissions and environmental impacts. As the world's largest emitter of CO<sub>2</sub>, China is a prominent and important global and national case study for scenario analysis.

### DIFFERENT ECONOMIC DEVELOPMENT STAGES IN CHINA:

China's provinces are in very different stages of economic development today. Global energy models, in particular bottom up models, that account for regional economic and energy system differences within China do hardly exist. Possible explanations are the numerous challenges in the comparison of China's energy system data in a global context.

### CHINA-SPECIFIC GLOBAL MODEL LINKING FOR IMPROVED DECISION-MAKING:

In this joint cooperation between NIES (Japan), ERI (China) and DTU (Denmark), we aim to soft-link two global models for an improved regional economy and energy system analysis of China's future energy policies.


The results from this soft-linking approach will feed into an ongoing energy policy debate in China, striving to balance global, regional and national development targets, such as energy intensity reduction goals in China's 12th Five-Year Plan (2011-2015).

# Introducing the two China-specific global models




	Global Economic Model: Global-NIES-CGE-Model	Global Energy System Model: Global-DTU-ETSAP-TIAM-Model
<b>Modelling approach:</b>	general equilibrium model, representing the whole economy based on capital, labour, <b>energy</b> and material inputs	technology-rich, bottom-up, linear optimization model, representing the full energy system
<b>Main underlying functions:</b>	Individual behaviors of households, firms and government are based on optimization, e.g. budget-constrained utility maximization by households and technology-constraint profit maximization by firms, so that the demand and supply of each commodity and factor are balanced through the price mechanism.	objective function specified as discounted sum of the annual costs minus revenues; production-consumption commodity balances; share constraints on the in/outputs of processes; transformation equations; utilisation constraints
<b>Historic model development:</b>	NIES AIM/CGE model, <b>new feature: representing 30 regions of China and 15 other world regions.</b>	TIAM model development in collaboration with IEA ETSAP partners, open-source TIMES code, <b>new feature: bottom-up energy system for three economic regions within China</b>
<b>Key inputs:</b>	Population projection, Efficiency assumptions, future economic growth targets for China	population, household, economy and energy service demand projections; technology/process related cost, efficiency, emission assumptions
<b>Key outputs:</b>	Sectoral economic output, household income, GDP etc.	highly-detailed, cost-optimized primary and final energy use data
<b>Global Regions:</b>	<b>Same as TIAM model</b>	<b>15</b> (Africa, Australia-New Zealand, Canada, Central and South America, China, Eastern Europe, Former Soviet Union, India, Japan, Mexico, Middle-East, Other Developing Asia, South Korea, United States, and Western Europe)
<b>China Regions:</b>	<b>30</b> (administrative provinces, municipalities, autonomous regions of China, excl. Tibet)	<b>3</b> (East, Central, West China)
<b>Time horizon:</b>	<b>2002 - 2050</b>	<b>2005 - 2100</b>
<b>Economic sectors:</b>	<b>22 economic sectors and 3 final demand sectors</b> , based on China's economic structure and sectoral definitions	highly-detailed energy-relevant sectors of the economy, incl. energy resources/extraction and supply, energy transformation and final energy use in <b>industry, transport, commercial and public services, households and agriculture</b>
<b>Fuels and energy carriers:</b>	Coal, Crude oil, petrol oil, manufactured gas, electricity	Coal (hard coal, brown coal, coke, peat,...), Crude oil, oil products (incl. kerosene, diesel, gasoline, synthetic oils from coal,...), natural gas, electricity from various fossil and renewable sources, heat, biomass, biofuels, ethanol/methanol, hydrogen, ...
<b>Emissions and pollutants:</b>	CO <sub>2</sub> , CO, NH <sub>3</sub> , NMVOC, CH <sub>4</sub> , N <sub>2</sub> O, NO <sub>x</sub> , SO <sub>2</sub>	CO <sub>2</sub> derived from the carbon cycle of the TIMES climate module, CO <sub>2</sub> equivalents of N <sub>2</sub> O and CH <sub>4</sub>

# Soft-linking Methodology (I) – Philosophy




## Soft-linking Methodology (II) – Global and China-specific regions



East-, Central- and West-China are defined based on the Seventh Five-Year Plan (1986–1990), which grouped the different provinces of China into **three economic zones to promote economic specialization and division of labour**.

Both models are able to represent **economic and energy system details for these 3 regions of China**. Both models are using a **consistent division of the world in 15 regions**. The economic model can produce more detailed results within China, at the level of 30 provinces.

# Soft-linking Methodology (III) – Sectors in both models




more detailed

	Global Economic Model: Global-NIES-CGE-Model	Global Energy System Model: Global-DTU-ETSAP-TIAM-Model
<b>Energy-intensive industries</b>	CMetSmlt Metal smelting and processing Cchem Chemicals CNonMPrd Non Metal product Cpaper Paper	IIS; INF Iron and steel + non-ferrous metals ICH Chemicals NMM Non-metal minerals ILP Pulp and paper
<b>Other industries:</b>	Cmin Other Mining CFdTbc Food and Tabaco CTxt Textile CMetPrd Metal Product CMchn Machinery CTspEq Transport equipment CeIMchn Electronic machinery CElcEq Electronic equipment CMsInstr Mesure instrument COthManuf Other Manufacturing Cwater Water production CCnst Construction	IOI IOI IOI IOI IOI IOI Aggregated to other industries IOI IOI IOI IOI IOI
<b>Transport</b>	CTrsp Transport	TRA highly-detailed transport energy use by transport mode (road, rail, water, aviation)
<b>Service</b>	Csvc Service	COM highly-detailed commercial and public service energy use (e.g. space heating, cooling, refrigeration,...)
<b>Residential Sector</b>	hhld Household sector	RES highly-detailed residential energy use (e.g. space heating, cooling, refrigeration,...)
<b>Agriculture</b>	CAgri Agriculture	AGR Agriculture/Forestry

more detailed

As expected, differences in the detailed representation of economic and energy-relevant sectors exist. Both models are able to represent China's main energy-intensive manufacturing industries as single sectors.

# Soft-linking Methodology (IV): economic model --> energy system model



East-China, Central-China and West-China are expected to take different future development paths.

These assumptions are in line with the government medium and long-term plans for economic restructuring.

Many energy service demand drivers **provided by the Global-NIES-CGE-Model** show differences across China's regions: While the increase in gross regional product remains larger in East-China than in Central-/West-China, the increase in outputs of chemical and iron/steel products are expected to be larger in Central-/West-China than in East China.

## Soft-linking Methodology (V): energy system model → economic model

The relationship between composite energy demand and energy input in the Global-NIES-CGE-Model model can be expressed as follows:


$$QE_{r,j} = \alpha_{r,j} \cdot \left( \sum_{en} \delta_{r,j}^{en} \cdot \left( \frac{QEN_{r,en,j}}{EEI_{r,en,j}} \right)^{-\rho_{r,j}} \right)^{-\frac{1}{\rho_{r,j}}}$$

$QE_{r,j}$	Composite energy input required by the economic model;
$QEN_{r,en,j}$	<b>Final energy demand from the energy system model;</b>
$EEI_{r,en,j}$	<b>Energy efficiency improvement;</b>
$\alpha_{r,j}, \rho_{r,j}$	Shift and substitution parameters in the CES function;



- The final energy demand  $QEN_{r,en,j}$  over the 2005-2050 period in East-, Central- and West-China is **provided by the Global-DTU-ETSAP-TIAM model;**
- Composite energy demand,  $QE_{r,j}$ , is known **from the Global-NIES-CGE-Model;**
- **Energy efficiency parameters EEI** in the Global-NIES-CGE-Model are modified so that the above equation holds.

*Note: This is work in progress, currently only total (rather than sectoral) energy consumption is used. Energy conversion factor: 1 PJ = 34.12 kilo ton of coal equivalent.*

# Reference-Scenario: before soft-linking




## Per cap GDP (USD)




# Reference-Scenario after soft-linking: Modifications after the 1<sup>st</sup> iteration


Primary energy: decreasing after linking




Final energy use (PJ) - China - increasing after linking



CO2 emission pathways: decreasing after linking



Final energy use (PJ) - WORLD - increasing after linking



## Challenges and next steps

### **A very time consuming and complex task – some of the challenges:**

- Understanding China-specific data & statistics in an international context
- Understanding the different modeling approaches, key drivers, uncertainties
- Working virtually and dealing with a 7h time difference
- Working with different cultural backgrounds, native languages and working styles

### **This is work in progress – next steps:**

- Continue iterations and document soft-linking process and results in more details
- Document the DTU-ETSAP-TIAM-Model's reference energy system for East-, Central- and West-China
- Undertake the soft-linking exercise for a consistent set of policy/emission scenarios

→ Publish the results 😊



## Selected references

### A regional view on China:

- **Mischke, P.** (2013): China's energy statistics in a global context: A methodology to develop regional energy balances for East, Central and West China. MPRA DTU Working Paper 50145; October 1, 2013; 44 pages; <http://mpra.ub.uni-muenchen.de/id/eprint/50305>
- Li, S., S. Qi, et al. (2010). Extended regional input-output table of China in 2002: compilation and application. Beijing, Economic Science Press
- National Bureau of Statistics of China (NBS) (various years). China Energy Statistical Year Book (in Chinese) and China Statistical Yearbook. Beijing, China Statistics Press.

### Economic model: Global-NIES-CGE-Model

- **Dai, H.**, T. Masui, et al. (2011). "Assessment of China's Climate Commitment and Non-Fossil Energy Plan towards 2020 Using Hybrid AIM/CGE Model." *Energy Policy* **39**(5): 2875-2887.
- **Dai, H.**, T. Masui, et al. (2012). "The Impacts of China's Household Consumption Expenditure Patterns on Energy Demand and Carbon Emissions towards 2050." *Energy Policy* **50**(Special Issue): 736-750.

### Energy system model: Global-DTU-ETSAP-TIAM-Model

- **Mischke, P.** (2014 forthcoming): DTU-ETSAP-TIAM Model with an improved regional detail of China (working paper, under preparation)
- Loulou, R. Remme. U., Kanudia, A., Lehtilä, A. & Glodstein, G. 2005. Documentation for the TIMES Model. Energy Technology Systems Analysis Programme (ETSAP). <http://www.etsap.org/documentation.asp>
- Loulou, R. & Labriet, M. 2007. ETSAP-TIAM: the TIMES integrated assessment model. Part I: Model structure. Computational Management Science special issue on Energy and Environment 5 (1-2), 7–40.

**Thank You! 谢谢!**  
**Danke! Merci bcp! Gracias!**

## Our contacts:

Peggy Mischke (DTU, Denmark):

[peym@dtu.dk](mailto:peym@dtu.dk)

Hancheng Dai (NIES, Japan):

[dai.hancheng@nies.go.jp](mailto:dai.hancheng@nies.go.jp)

Xuxuan Xie (ERI, China):

[xiexx@eri.org.cn](mailto:xiexx@eri.org.cn)

China energy blog:

<http://www.peggymischke.com/china-blog.html>

## In collaboration with:



中国科学院研究生院  
GRADUATE UNIVERSITY OF CHINESE ACADEMY OF SCIENCES

