



Physiological and molecular responses of springtails exposed to combined chemical and drought stress by passive dosing

Schmidt, S. N.; Holmstrup, M.; Damgaard, C.; Sørensen, J. G.; Slotsbo, S.; Mayer, Philipp

Published in:
Science Across Bridges, Borders and Boundaries

Publication date:
2014

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Schmidt, S. N., Holmstrup, M., Damgaard, C., Sørensen, J. G., Slotsbo, S., & Mayer, P. (2014). Physiological and molecular responses of springtails exposed to combined chemical and drought stress by passive dosing. In *Science Across Bridges, Borders and Boundaries: Programme Book SETAC Europe*.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

WE050 Physiological and molecular responses of springtails exposed to combined chemical and drought stress by passive dosing

S.N. Schmidt, Aarhus University / Department of Environmental Science; M. Holmstrup, Aarhus University / Department of Bioscience; C. Damgaard, J.G. Sorensen, S. Slotsbo, Aarhus University; P. Mayer, Technical University of Denmark / Department of Environmental Engineering. Organisms in the environment are exposed to multiple stressors of both natural and anthropogenic origin. Consequently, adapted organisms have developed essential physiological and molecular responses to counteract physical and chemical stress. This poster presents the results of two studies on the combined effects of phenanthrene and drought in the springtail *Folsomia candida*. Special attention was given to (1) the experimental approach for the simultaneous and independent control of chemical and drought exposure, (2) the characterization of the combined effects on survival and (3) the physiological and molecular responses to phenanthrene, drought and combined exposure. A new passive dosing system was developed and applied in order to conduct bioassays under well-defined exposure conditions: Passive dosing from silicone was used to control the chemical activity of phenanthrene (chemical stress), while saline solutions were used to control the water activity (drought stress). First, a two-factor experiment on seven levels ($7^2 = 49$ combinations/treatments) was conducted with the aim of studying the combined effects of phenanthrene and drought on the survival of *F. candida*. An “independent action” model was fitted to the observed survival data, which demonstrated an overall synergistic effect of the two stressors ($p < 0.0001$). Additionally, both chemical and drought stress was found to reduce the springtail tolerance to the other stressor. Then, the transcription of nine candidate genes was determined in one of the treatments from the full-factorial experiment (chemical activity of 0.010 and water activity of 0.988) with the aim of studying the effect of phenanthrene on physiological mechanisms involved in drought tolerance and, conversely, the effect of drought on phenanthrene detoxifying mechanisms. Phenanthrene had no effect on drought-protective accumulation of myo-inositol, and normal water conserving mechanisms of *F. candida* were functioning despite the near-lethal exposure level of the toxicant. Further, detoxifying induction of cytochrome P_{450} and glutathione-*S*-transferase was not impeded by drought. Both phenanthrene and drought induced transcription of heat shock protein (*hsp70*) and the combined effect of the two stressors on *hsp70* transcription was additive, suggesting that the cellular stress and lethality imposed by these levels of phenanthrene and drought were also additive.