Synthesis and characterization of UV photocrosslinkable hydrogels with poly(N-vinyl-2-pyrrolidone): Determination of the network mesh size distribution

Marizza, Paolo; Abrami, M.; Keller, Stephan Sylvest; Posocco, P.; Laurini, E.; Goswami, Kaustav; Skov, Anne Ladegaard; Boisen, Anja; Larobina, D.; Grassi, G.

Total number of authors:

11

Published in:

International Journal of Polymeric Materials and Polymeric Biomaterials

Link to article, DOI:

[10.1080/00914037.2015.1129964](https://doi.org/10.1080/00914037.2015.1129964)

Publication date:

2016

Document Version

Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):

Marizza, P., Abrami, M., Keller, S. S., Posocco, P., Laurini, E., Goswami, K., Skov, A. L., Boisen, A., Larobina, D., Grassi, G., & Grassi, M. (2016). Synthesis and characterization of UV photocrosslinkable hydrogels with poly(N-vinyl-2-pyrrolidone): Determination of the network mesh size distribution. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 65(10), 516-525.
<https://doi.org/10.1080/00914037.2015.1129964>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Characterisation of poly(n-vinyl-2-pyrrolidone) gels for the realisation of micro drug delivery systems

P. Marizza ^a, M. Abrami ^b, S. S. Keller ^a, P. Posocco ^c, E. Laurini ^c, K. Goswami ^d, A. L. Skov ^d, A. Boisen ^a, D. Larobina ^e, G. Grassi ^b and M. Grassi ^c

^a Department of Micro- and Nanotechnology, Technical University of Denmark (DTU), Kongens Lyngby, Ørstedes Plads Bygning 345Ø, 2800 Kgs., Denmark.

^b Department of Life Sciences, Cattinara Hospital, University of Trieste, Strada di Fiume 447, 34100 Trieste, Trieste, I-34127.

^c Department of Engineering and Architecture, University of Trieste, via Valerio 6, Trieste, I-34127.

^d Department of Chemical and Biochemical Engineering, Technical University of Denmark (DTU), Kongens Lyngby, Søtofts Plads 227, 2800 Kgs., Denmark.

^e Department of Pharmacy, University of Copenhagen (KU), Universitetsparken 2, 2100 Copenhagen, Denmark

^f National Research Council (CNR), Institute of Polymer Composites and Biomaterials, P.le Enrico Fermi 1, 80055 Portici Napoli Italy.

Abstract

Hydrogels of poly(n-vinyl-2-pyrrolidone) (PVP) were produced by UV irradiation of aqueous solutions of the polymer in presence of hydrogen peroxide, used as crosslinker. The mechanical and the nano-structural properties of the gels were characterized by a combination of experimental techniques including rheology, low field nuclear magnetic resonance spectroscopy (LFNMR) and small angle X-ray scattering (SAXS). Different irradiation doses as well as polymer and crosslinker concentrations were tested in the characterization. The study elucidates the relationship between different methods to estimate the mesh size of the gel polymeric network. Moreover, a novel correlation model was developed based on Chui and Scherer theories for the interpretation of LFNMR dataset of polymer solutions and networks.

Introduction

In recent years, special attention has been focused on hydrogels in the biomedical and pharmaceutical research. In fact, many features make this class of materials particularly suitable for the development of devices with drug delivery capabilities.^{1,2} In the last years, hydrogels found application in wound dressings³, injectable formulations^{4,5}, dental medications⁶, implants⁷ and ophthalmic systems⁸. The principal characteristic of hydrogels is the large volume of water they absorb and retain which, together with intrinsic low cytotoxicity and high biocompatibility of the constituting polymers, place them among the most suitable materials resembling natural living tissues^{9,10}. Moreover, hydrogels can be designed to serve as drug delivery device as they are able to release the active ingredient in a controlled manner

From a structural viewpoint, hydrogels are composed by hydrophilic polymeric three dimensional networks, where molecular chains are entangled or connected along limited areas or at punctual sites of the polymer backbone by physical junctions or chemical bonds. An important network feature is represented by crosslink density. Crosslink density determines the polymeric network mesh size, a characteristic that significantly affects the diffusion of a probe molecule. The correlation between release kinetics and the mesh size has been extensively studied^{11–14}. Since the determination of the crosslink density is of paramount importance for the control of the

drug release kinetics, the hydrogel preparation methods is a crucial step. Hydrogels can be prepared by crosslinking of both natural and fully synthetic hydrophilic polymers.

Exposure to high energy irradiation (gamma ray and electron beam) and UV light are among several different techniques adopted to produce hydrogels. The use of gamma radiation has been explored for PEG, PVP and agar based hydrogels¹⁵. The crosslinking upon exposure to UV radiation has recently attracted an increasing attention due to the simplicity of preparation method, and the implementation into micro-devices for drug delivery^{16–20}. Several polymer derivatives were developed to implement photo-crosslinking of active groups into polymer with oral delivery applications^{21–23}. The crosslinking induced by UV radiation follows a radical mechanism^{24,25}, activated by a photo-initiator, or crosslinker. The crosslinker attacks the polymer backbone generating macro-radicals which react intermolecularly and thereby creating crosslinks. In many cases, the biocompatibility of photo-initiators is a critical issue as most of them are cytotoxic²⁶. Therefore, the research of new crosslinking mechanisms represents a concrete need.

Poly(N-vinyl-2-pyrrolidone) (PVP) is a neutral and amphiphilic polymer which exhibits high solubility both in water and many organic solvents²⁷ and is widely used as excipient for oral dosage forms²⁸. PVP K30 and K90 can be crosslinked by exposure to UV radiation^{29–31}, giving a water insoluble gel material which swells in water. Photo-crosslinking of poly(vinylpyrrolidone) (PVP) was initially investigated by Rosiak and coworkers¹⁵ who used electron beam or gamma radiation to produce PVP hydrogel based-wound dressing. More recently, ultraviolet radiation (UV) was proposed by Lopérlogo *et al.*³⁰ to crosslink aqueous solutions of PVP without the need for photo-initiators. The same authors added hydrogen peroxide (H₂O₂) to the PVP solution as crosslinking agent increasing sensitively the gel fraction, that is the portion of polymer fixed in the network after irradiation, up to 90%³¹. The structural and mechanical properties of these hydrogels were recently studied by D'Errico and coworkers³². In the present work, the attention is focused on the characterization of PVP photo-crosslinked hydrogels and how to elucidate the effect of irradiation times, and polymer and crosslinker concentrations on the hydrogel mechanical and structural properties. To this purpose, we combined complementary analysis including rheology, low field nuclear magnetic resonance spectroscopy (LFNMR) and small angle X-ray scattering (SAXS) to estimate the polymer mesh size of the gels prepared under different conditions. The fragile nature of most of the examined gels entailed an uncertain determination of polymer concentration in the gel according to the traditional approach based on gel weight measurements^{25,30–32} (both in the crosslinking conditions and in the swollen state). Accordingly, we developed an alternative method based on the LFNMR spectroscopy. We correlated the nuclear magnetic relaxation times of the gels with the ones of polymer solutions with defined concentration by means of a custom-made experimental model, developed starting from the theories of Chui³³ and Scherer³⁴ for the microstructural interpretation of LFNMR datasets.

The experimental results of network mesh size and crosslinking efficiency allowed a deeper understanding of the relationship between the mechanical behavior and the nanoscopic structure of the gels under consideration.

Experimental

2.1 Materials

Poly(vinylpyrrolidone) (PVP K90, $M_w=3.6 \cdot 10^5$ Da), hydrogen peroxide (H_2O_2) aqueous solutions (30% wt.) and deuterium oxide (>99.9% isotopic purity) were supplied by Sigma Aldrich. Water was deionized (DI). All the employed solvents were degassed before preparation of the solutions.

2.2 Hydrogel preparation

PVP solutions were prepared dissolving the polymeric powder in mixtures of DI water (99.1% v/v) and H_2O_2 (0.9% v/v), with polymer concentration of 10, 20 and 30% wt. under stirring (250 rpm) at 50°C for 36 h. Even at the highest concentration, PVP was perfectly dissolved, resulting in high viscous and transparent solutions. For the rheological and the LFNMR investigations, macroscopic specimens of the hydrogel were prepared. To investigate the influence of the crosslinker concentration on the structural properties, additional 30% PVP solutions were prepared with double and triple amounts of H_2O_2 (referred as 30%+2H and 30%+3H). From preliminary photo-crosslinking tests performed on layers of different thickness, it was found that gels thicker than 1 mm exhibit a macroscopically inhomogeneous structure with a softer texture at the bottom and a more elastic one on the top. Gels thinner than 1 mm were very fragile and impractical to handle. As a consequence, a fixed thickness of 1 mm was used.

Solutions were cast into cylindrical moulds (1 mm in depth, 15 mm in diameter) and 0.5 mm thick glass discs were clamped onto the mold to prevent water evaporation during the UV exposure. It was measured that the glass absorbs a negligible amount of the radiation emitted by the UV lamps. Considering an emitted power density of 29 mW/cm², each sample was exposed to 67 J, 100 J, 134 J corresponding to irradiations for 22, 33 and 44 min, respectively. After photo-crosslinking, gels were separated from the mould with a spatula and dipped in DI water under stirring to extract unreacted polymer and crosslinker (washing). The crosslinked polymer volume fraction after washing was ϕ_0 . Gels were, then, let to swell in water for 24 h and the polymer volume fraction went down to ϕ . After swelling, the superficial water on the gels was dried.

In several cases, longer water soaking caused the breakage of the gel in smaller fragments probably due to a phenomenon of over-swelling.

2.3 Rheological measurements

The rheological characterizations, carried out at 25 °C, were performed by means of a controlled stress rheometer Haake Rheo-Stress RS150 equipped with a thermostat F6/8. While a cone–plate device (C60/1 Ti: diameter 60 mm, cone angle of 1°) was adopted for PVP solutions, a parallel plate device with serrated surfaces (PP20Ti: diameter = 20 mm) was used for PVP gels. In the case of PP20Ti device, gap-setting optimization was undertaken according to a procedure described elsewhere³⁵ (gap ranged between 1 and 2 mm). In order to avoid water loss from the samples (gels or solutions) due to possible evaporation, the measurement device was kept inside a glass solvent trap at constant moisture level.

Solutions rheological characterization was led according to continuous test (flow curve test), implying the determination of solution viscosity versus the applied shear stress. Gels were studied by means of oscillatory tests. In particular, the linear viscoelastic region was assessed, at 1 Hz, by stress sweep experiments. Frequency sweep tests were carried out in the frequency (f) range 10–0.01 Hz at

constant stress 5 Pa (well inside the linear viscoelastic range for all the studied gels). The generalized Maxwell model³⁶ was used for the theoretical dependence of the elastic (G') and viscous (G'') moduli on angular frequency (or pulsation) $\omega = 2\pi f$ (f = stress frequency):

$$G' = G_e + \sum_{i=1}^n G_i \frac{(\lambda_i \omega)^2}{1 + (\lambda_i \omega)^2}; \quad G_i = \eta_i / \lambda_i \quad (1)$$

$$G'' = \sum_{i=1}^n G_i \frac{\omega \lambda_i}{1 + (\lambda_i \omega)^2}; \quad (2)$$

where n is the number of Maxwell elements considered while G_i , η_i and λ_i represent, respectively, the spring constant, the dashpot viscosity and the relaxation time of the i^{th} Maxwell element. G_e is the spring constant of the last Maxwell element which is supposed to be purely elastic³⁶. The simultaneous fitting of Eqs. (1) and (2) to experimental G' and G'' data was performed assuming that relaxation times (λ_i) were scaled by a factor of 10^{36} . Hence, the parameters of the model are $2 + n$ (i.e. λ_1 , G_e plus G_i). Based on a statistical procedure³⁷, n was selected in order to minimize the product $\chi^2(1+n)$, where χ^2 is the sum of the squared errors. According to the generalized Maxwell model, the elastic modulus varies between two limiting values: $G_{\min}$ ($= G_e$; relaxed and deformed system after stress application) and $G_{\max}$ ($= G_e + \sum_i G_i$) accounting for the structural characteristics of the unperturbed system³⁸. As in the field of drug delivery the interest is focused on the properties of systems not exposed to mechanical perturbation, the shear modulus of gels (G) is assumed coincident with $G_{\max}$. The application of Flory's theory³⁹ enables the determination of the crosslink density ρ_x (defined as the moles of crosslinks between different polymeric chains per unit volume):

$$\rho_x = \frac{G}{RT} \left(\frac{\phi}{\phi_0} \right)^{\frac{2}{3}} \quad (3)$$

where R is the universal gas constant, T is the absolute temperature while ϕ and ϕ_0 are, respectively, the polymer volume fraction in the swollen state and in the reference state. Finally, the equivalent network theory⁴⁰ allows evaluating the average network mesh size ξ_a :

$$\xi_a = \sqrt[3]{6/\pi \rho_x N_A} \quad (4)$$

where N_A is the Avogadro number.

2.4 LFNMR spectroscopy measurements

The characterization of hydrogel nanostructure was performed at 25°C according to low field ^1H -NMR methodology, using Bruker Minispec mq20 (0.47 T, Germany). Two kinds of experimental tests were performed: a) determination of the water protons transverse relaxation time inside the hydrogels (T_2) and b) determination of the water diffusion coefficient inside the hydrogel polymeric structure (D_g ; also called water self-diffusion coefficient⁴¹. Water is the only mobile species as polymeric chains cannot diffuse, as the polymer fixed in the network does not diffuse).

T_2 measurements were performed according to the CPMG (Carr–Purcell–Meiboom–Gill)⁴² sequence with a 90–180° pulse separation of 0.25 ms (number of scans: 4; delay: 5 s). The T_2 discrete distribution was determined by fitting the time (t) decay of the

experimental signal (I_s), related to the extinction of the x - y component of the magnetization vector (M_{xy}). The experimental I_s was fitted by its theoretical estimation $I(t)$:

$$I(t) = \sum_{i=1}^m A_i e^{-\frac{t}{T_{2i}}} \left\langle \frac{1}{T_2} \right\rangle = \frac{\sum_{i=1}^m A_i / T_{2i}}{\sum_{i=1}^m A_i} \quad (5)$$

where t is time, A_i are the pre-exponential factors (dimensionless) proportional to the number of protons relaxing with the relaxation time T_{2i} and $\langle 1/T_2 \rangle$ is the average value of the inverse relaxation time of protons. Again, m was determined by minimizing the product $\chi^2(2m)$, where χ^2 is the sum of the squared errors and $2m$ represents the number of fitting parameters of Eq.(5)³⁷. The T_2 continuous distribution was determined according to the following equation:

$$I(t) = \int_{T_{2min}}^{T_{2max}} a(T_2) \exp\left(-\frac{t}{T_2}\right) dT_2 \quad (6)$$

where T_{2max} is the relaxation time of free water at 25°C ($T_{2H_2O} = 3007$ ms) and T_{2min} ($= 0.1$ ms; lowest detectable experimental value of T_2) indicate, respectively, the lower and the upper values of the continuous T_2 distribution, $a(T_2)$ is the unknown amplitude of the spectral component at relaxation time T_2 and $e^{(-t/T_2)}$ represents the decay term. $a(T_2)$ determination required fitting of Eq.(6) to the experimental I_s data. Thus, Eq.(6) was discretized according to the criterion suggested by Whittall and MacKay⁴³:

$$I(t) = \int_{T_{2min}}^{T_{2max}} a(T_2) e^{(-t/T_2)} dT_2 \approx \sum_{i=1}^N a_i(T_2^i) e^{(-t/T_2^i)} (T_2^{i+1} - T_2^i) = \sum_{i=1}^N A_i(T_2^i) e^{(-t/T_2^i)} \quad (7)$$

where the range of the T_2 distribution ($T_{2min} - T_{2max}$) was logarithmically divided into $N=200$ segments (higher N values have revealed to be unnecessary). Because of the noise disturbing the measure of I_s , a smoothed version (χ_s^2) was minimized:

$$\chi_s^2 = \sum_{i=1}^N \left(\frac{I_s(t_i) - I(t_i)}{\sigma_i} \right)^2 + \mu \sum_{i=1}^{N-2} |A_{i+2} - 2A_{i+1} + A_i|^2 \quad (8)$$

where σ_i is the i^{th} data point standard deviation, μ the is weight of the smoothing term (second sum in Eq.(8)) proposed by Provencher⁴⁴. For the determination of μ , the method adopted by Wang⁴⁵ was chosen. The selected μ value ($= 261$) is that occurring just after the heel (slope variation) of the function $Ln(\chi_s)$ vs $Ln(\mu)$.

The results of the relaxation experiments were also used for the estimation of the mesh size distribution of the polymer networks. The theory of Scherer³⁴ states that:

$$R_h = \frac{\xi_a^2}{R_f} \frac{C_0(I - \phi)}{(C_l - 1.5 C_2 R_f / \xi_a)} \quad (9)$$

where R_f is the radius of the polymeric chain, ξ_a is the average network mesh size, ϕ is the polymer volume fraction, C_0 , C_1 and C_2 are geometrical constants for a cubic mesh, equal to 1, 3π and $8\sqrt{2}$, respectively. R_h represents the hydraulic radius of the cubic mesh, i.e. two times the ratio between the cubic cell volume and the surface area of the polymeric chains of the cubic cell. In addition, Scherer demonstrated that a good approximation of eq.(9) is given by:

$$R_h = R_f \left(\frac{1-0.58\phi}{\phi} \right) \quad (10)$$

Here we assume that $R_f/\xi_a \approx 0$ and eq.(9) becomes:

$$R_h \approx \frac{\xi_a^2}{R_f C_l} C_o (1-\phi) \quad (11)$$

Combination of eq.(10) and (11) yields to a simple and direct relation between R_f and ξ_a :

$$\xi_a = R_f \sqrt{\frac{(1-0.58\phi) C_l}{(1-\phi)\phi C_o}} \quad (12)$$

It can be numerically demonstrated that, in the range $0 < \phi < 0.1$, the error associated with the use of eq.(12) in place of eq.(9) for the estimation of ξ_a/R_f is always lower than 10%.⁴⁶

The relation between ξ_a and $\langle 1/T_2 \rangle$ is provided by the “Fiber-Cell” theory³³:

$$\left\langle \frac{1}{T_2} \right\rangle = \frac{1}{T_{2H_2O}} + \frac{2}{f} \frac{\langle \mathcal{M} \rangle}{\xi_a} \quad f = \sqrt{\frac{(1-0.58\phi)(1-\phi) C_o}{\phi C_l}} \quad (13)$$

where T_{2H_2O} is the relaxation time of the bulk water protons (i.e. protons of the free water, whose relaxation is not affected by the presence of the polymeric chains) and $\langle \mathcal{M} \rangle$ is an empirical parameter, called relaxivity, accounting for the effect of polymer chains surface on proton relaxations. While Eq.(13) holds, on average, for all the polymeric class of network meshes, similar expressions can be written for polymeric network meshes of different dimensions:

$$\frac{1}{T_{2i}} = \frac{1}{T_{2H_2O}} + \frac{2}{f} \frac{\langle \mathcal{M} \rangle}{\xi_i} \quad (14)$$

where T_{2i} is the relaxation time of the water molecules protons trapped in polymeric meshes of size ξ_i ($\langle \mathcal{M} \rangle$ is independent from ξ_i).

Eq.(13) and (14) hold in fast-diffusion regime³³, i.e when the mobility of the water molecules, expressed by their self-diffusion coefficient D_g , is high compared to the rate of magnetization loss, identifiable with $\langle \mathcal{M} \rangle R_c$ ($\langle \mathcal{M} \rangle R_c/D_g \ll 1$). R_c indicates the distance from the polymer chain axis where the effect of polymeric chains on water protons relaxation becomes negligible and can be expressed by:

$$R_c = \frac{R_f}{\sqrt{\phi}} \quad (15)$$

When the assumptions of fast-diffusion regime do not hold, the relaxation of water protons trapped in a mesh of diameter ξ_i needs to be described by, in theory, an infinite number of relaxation times (T_{2ij}). Accordingly, one single relaxation time (T_{2i}) is no longer sufficient in eq.(5), (13) and (14) (this occurs when ξ_i greater than 1 μm , i.e, like for microporous systems).

With the value of $\langle \mathcal{M} \rangle$, ξ_i is evaluated by eq.(14) for each class of the network meshes. In addition, by knowing $\langle \mathcal{M} \rangle$ and the continuous distribution of T_2 , $a(T_2)$, (see Eq.(7)), the continuous distribution of ξ , $a(\xi)$, is determined. Indeed, the following relations hold:

$$\xi = \frac{2\langle \mathcal{M} \rangle}{f} \left/ \left(\frac{1}{T_2} - \frac{1}{T_{2H_2O}} \right) \right. \quad (16)$$

$$a(\xi) = \frac{dT_2}{d\xi} a(T_2) = \frac{f}{2\langle \mathcal{M} \rangle} \left(\frac{T_{2H_2O} - T_2}{T_{2H_2O}} \right)^2 a(T_2) \quad (17)$$

In addition, for a more clear description the probability of finding a mesh of size ξ inside the polymeric network $P(\xi)$ is estimated as follows:

$$P(\xi) = \frac{a(\xi)d\xi}{\int_{\xi_{\min}}^{\xi_{\max}} a(\xi)d\xi} = \frac{A(\xi)}{\int_{\xi_{\min}}^{\xi_{\max}} a(\xi)d\xi} \quad (18)$$

In order to gain further information about polymeric network structure, Pulsed Gradient Spin Echo (PGSE) measurements were performed. The applied sequence consisted of the classical CPMG sequence with two equal gradient pulses (of length $\delta = 0.5$ ms) occurring at $x_1 = 1$ ms and $x_2 = 1$ ms after the 90 and 180° pulses, respectively. The time separation, indicated by $\Delta (\approx \tau - x_1 - \delta + x_2)$, is related to the water molecule diffusion time t_d according to $t_d \approx \Delta \cdot \delta / 3$. After a proper calibration procedure, based on the knowledge of the free water self-diffusion coefficient (D_{H_2O})⁴⁷ it is possible to measure the average water self-diffusion coefficient inside the hydrogel (D_g). Interestingly, for sufficiently long t_d (this happens when D_g is no longer dependent on t_d ; for small t_d , D_g decreases with increasing t_d) the ratio between D_{H_2O} and D_g identifies with the polymeric network tortuosity (α)⁴⁸.

2.5 R_f determination

R_f (0.91 ± 0.10 nm) was evaluated according to molecular mechanics (MM)/dynamics (MD) techniques assuming prototypical linear and atactic short monomer-PVP chains (8 units). Ten different chains were modelled applying the isomeric-rotational method developed by Theodorou and Suter⁴⁹ at 25°C. Each chain was geometrically optimized and equilibrated following a protocol based on molecular mechanic/heating cycles coupled to molecular dynamics⁵⁰⁻⁵². Then, the models were placed in a tridimensional periodic simulation box with explicit solvent (TIP3P water model⁵³). After minimization, the hydrated PVP chains were subjected to 1 ns equilibration run in the isobaric-isothermal ensemble (NPT MD) at 25°C and 1 bar (temperature and pressure were maintained using a Berendsen thermostat and barostat⁵⁴). Then, 2 ns production run was carried out at constant volume and temperature (NVT MD). The time step was 1 fs for all simulations. For the long-range electrostatic interactions, particle mesh Ewald⁵⁵ was used. A cutoff radius of 12.5 Å was assumed for all interactions. For cross-section area analysis, 100 snapshots were saved during the last 500 ps of the NVT MD production period described above, and averaged over the 10 chains models. All simulations were performed by means of Materials Studio software v. 5.5 (Accelrys, San Diego, CA) and employing COMPASS⁵⁶ force field.

2.6 SAXS measurements

A collimated beam, with a wave-length $\lambda = 0.1542$ nm, was irradiated through a vacuum sealed cell containing the gel sample. The scattered field was then detected with a 2D camera, which allowed the evaluation of the diffracted intensity down to $q = 0.1 \text{ nm}^{-1}$. While q is the scattering vector defined as $q = (4\pi) \sin(\theta)/\lambda$, θ is the angle between the incident and the scattered field. Intensities were collected at room temperature for 30 minutes. Raw data were corrected for dark current and background and then normalized with respect to the primary beam intensity. A further correction for both Porod constant and the de-smearing effect was applied and the results were plotted as Iq^2 vs q .

Results and discussion

3.1 Polymer volume fraction determination

Eqs.(3), (4) and (12), aimed at the evaluation of the PVP network mesh size, require knowledge of the polymer volume fraction in the reference (ϕ_0) and in the swollen (ϕ) conditions. However, the preparation procedure implied a washing after crosslinking, which made the estimation of ϕ_0 as well as the PVP volume fraction in the swollen condition (ϕ) very difficult. For this purpose, a semi-empirical approach, based on LF-NMR, was designed in order to estimate ϕ_0 and ϕ for the different hydrogels studied. This approach is based on the experimental evidence that the average relaxation time (T_{2g}) of a polymeric hydrogel is always lower than the one of the aqueous solutions (T_{2s}) with equal polymer volume fraction. Thus, the hydrogel and the polymeric solution differ only for the different arrangement of the polymeric chains due to the presence of the crosslinks occurring in the hydrogel. It can be assumed that while in a solution the polymeric chains are in a curled configuration with intramolecular and possibly in clusters, in the case of a gel the crosslinks constrain the chains in a three-dimensional network, where the polymer configuration is less curled and the surface accessible to water is higher. Based on these assumptions, the curled state implies a reduced surface area (S) of the polymer/water interface that is the key point for the determination of the water protons relaxation time. The original Chui theory³³ states:

$$\left\langle \frac{1}{T_2} \right\rangle = \frac{1}{T_{2H_2O}} + \frac{2\langle \mathcal{M} \rangle}{R_h} \quad R_h = \frac{2V}{S} \quad (19)$$

where R_h is the hydrodynamic radius while V is a volume proportional to the solvent (water in our case) volume fraction ($1-v_p$) in the gel. While V weakly depends on the conformation assumed by the polymeric chain⁵⁷, S is strongly dependent on the chains conformation and it will be higher in the case of a linear configuration while it will decrease in the case of curled chains. Being v_p (polymer volume fraction in the gel) the same, R_h in a gel network will be lower than in a solution. As a consequence, from eq.(19) it follows that $\langle 1/T_2 \rangle_{gel}$ is bigger than $\langle 1/T_2 \rangle_{sol}$ being $\langle \mathcal{M} \rangle$ and free T_{2H_2O} the same for both systems (hydrogel and solution). Thus, $T_{2gel} < T_{2sol}$. As for a hydrogel, eq.(14) can be re-written as:

$$\left\langle \frac{1}{T_2} \right\rangle_{gel} = \frac{1}{T_{2H_2O}} + \frac{2\langle \mathcal{M} \rangle}{R_f} \frac{v_p}{1-0.58v_p} \quad (20)$$

We assumed that, for a solution, the following relation holds:

$$\left\langle \frac{1}{T_2} \right\rangle_{sol} = \frac{1}{T_{2H_2O}} + \frac{2\langle \mathcal{M} \rangle}{R_f} \frac{v_p^n}{1 - 0.58v_p^n} \quad (21)$$

where n is an empirical fitting parameter that is equal to 1 in the case of hydrogels and it has to be greater than 1 in case of solutions in order to yield $T_{2gel} < T_{2sol}$. Accordingly, eq.(21) was fitted to the experimental relaxation data referring to PVP aqueous solutions characterized by different, and experimentally known, polymer volume fractions (v_p) as shown in Figure 1 (filled circles). Eq.(21) fitting to experimental data was statistically reliable, as proved by the *F-test* ($F(1, 16, 0.95) < 235$), and fitting parameters resulted $n = (1.9 \pm 0.3)$ and $\langle \mathcal{M} \rangle = (7.7 \pm 2.9)10^{-3}$ nm/ms. The knowledge of $\langle \mathcal{M} \rangle$ was used to determine v_p from eq.(20) as $\langle 1/T_2 \rangle_{gel}$ is known from experimental measurements. For the different examined systems, Table 1 shows the values of ϕ_0 and ϕ obtained with this approach. It can be seen that the washing/swelling processes implies a considerable sol fraction, i.e. uncrosslinked portion of the polymer, of the system considered.

3.2 Rheological characterization

Stress sweep tests revealed (data not shown) that, for all the studied gels, the linear viscoelastic range holds for stresses above the value adopted for the frequency sweep tests ($\tau = 5$ Pa). In addition, Figure 2 reports the mechanical spectra referring to systems 10-B, 20-B and 30-B in the swollen state. As, for all the three systems, the storage (G') and the loss (G'') moduli are substantially independent from the angular frequency ω ($= 2\pi f$) and G' is definitely prevalent on G'' , they can be defined as gels⁵⁸. However, the typical gel characteristics (for instance the ratio $G'/G'' > 10$), are much more pronounced passing from 10-B to 20-B than from 20-B to 30-B. Notably, in the series 10-B to 30-B, while G'' is more or less unchanged, G' undergoes an increase of one order of magnitude. It is worth notice that, differently from what reported by D'Errico et al.⁵⁹, while G' increases with the concentration of the originating polymeric solution (10, 20, 30% wt), the polymer volume fraction ϕ corresponding to these systems is almost the same (see Table 1). Thus, the increase of the polymer concentration of the initial polymer solution does not entail an increase of the gel fraction: reasonably, the number of polymeric chains involved in the crosslinking reaction remains constant whilst an increase of initial PVP concentration or of irradiation time produces more crosslink points among a stable number of polymeric chains. Table 2, showing the crosslink density, ρ_x , regarding gels 10-B, 20-B and 30-B, seems to confirm this hypothesis. Three Maxwell elements plus a purely elastic element (G_e) (see eq.(1) and (2)) are needed for a statistically reliable fitting of the frequency sweep data shown in Figure 2. The data fitting reveals also that the average mesh size (ξ_{aRHEO}) of these gels ranges between 65 and 48 nm, where 10-B gel exhibits the highest ξ_{aRHEO} .

The analysis of gels 10-A, 10-C, 20-A, 20-C, 30-A and 30-C led to conclusions similar to those reported for the above discussed 10-B, 20-B and 30-B gels (data not shown). Figure 3 sums up the results of the characterization of gels 10-ABC, 20-ABC and 30-ABC by showing the trend of the shear modulus G . It is evident that G increases both with the crosslinking time (horizontal axis) and with the increase of the polymer volume fraction of the originating solution (10%, 20%, 30%). It is interesting to notice that, for the “C” gels, the increase of G , in the series 10-20-30, is more pronounced than those of the “A” and “B” gels (see Figure 3).

Figure 4 shows the results of the frequency sweep tests related to systems characterized by an increasing initial concentration of crosslinker (H_2O_2 ; 1H, 2H, 3H). In particular, the attention is focussed on 30-B, 30-B-2H and 30-B-3H gels. These samples clearly belong to the viscoelastic class of gels as G' independent on pulsation ω , G'' is weakly dependent and G' is neatly prevailing on G'' . Substantially, the increase of the crosslinker amount reflects into an increase of G' whereas G'' is almost constant. The increase of G' with the H_2O_2 concentration is more gradual than in the case of the increase of the originating polymeric solution (see Figure 2). Two/three Maxwell elements plus a purely elastic element (G_e) (see eq.(1) and (2)) are needed for a statistically reliable fitting of the frequency sweep data shown in Figure 4 (see Table 3).

From Table 3 it can be noticed that the increase of the crosslinker amount (H_2O_2) corresponds to an increase of the crosslink density (ρ_x) and a consequent decrease of the average mesh size (ξ_{aRHEO}). Qualitatively similar conclusions can be drawn for the gels 30-A, 30-A-2H, 30-A-3H, 30-C, 30-C-2H and 30-C-3H.

Figure 5 shows the trend of the shear modulus G with the crosslinker amount of the 30% PVP gels with different H_2O_2 concentration. For all these gels, G increases with the crosslinker content and this trend is maximised for the 30-C series.

3.3 LF-NMR and SAXS characterization

LF-NMR analysis revealed that all the studied gels are characterized by only one relaxation time (T_2) (see Table 1). This means that all the hydrogels are homogeneous systems, i.e. all the water molecules interact with the polymeric chains in the same manner. Consequently, in the light of the Scherer's theory³⁴, these gels are characterized by meshes of similar dimensions. On the contrary, the highly heterogeneous gels, such as those prepared from alginate, up to four relaxation times can be found⁴⁷. Relying on measurements of T_2 and on eq.(12), it is possible estimating the average mesh size (ξ_{aNMR}) of our hydrogels as shown in Table 4. It can be noticed that ξ_{aNMR} is almost constant and spans from 31 nm to 44 nm. These high values of ξ_{aNMR} are comparable with the evaluation of the water self-diffusion coefficient (D_g) in the gels. Indeed, for all gels, D_g is very close to the value of the free water self-diffusion coefficient at 25°C ($2.3 \cdot 10^{-9} \text{ m}^2/\text{s}$ ⁴¹). This means that the hindering action exerted by polymeric chains on water molecules diffusion is very weak as occurs with gels characterized by wide meshes. SAXS analysis reveals that, in the investigated range of scattering vector q , experimental data do not display any significant order length. Indeed, the features, reported in Figure 6 (referring, for example, to gel 20-B), are more typical of a semi-flexible random coil.

In order to interpret the SAXS datasets, the worm like chain (WLC) model⁶⁰ was adopted. In this model, the polymeric chain is characterized by two characteristic lengths: the contour length (L) and the persistence length (l_p). In the limit of $L \gg l_p$, the following relationship exists between the scattering intensity $I(q)$ and the scattering vector q :

$$\frac{I(q)}{I(0)} = 2u^{-2}[\exp\{-u\} - 1 + u] + \frac{l_p}{L} \left[\frac{4}{15} + \frac{7}{15u} - \left(\frac{11}{15} + \frac{7}{15u} \right) \exp\{-u\} \right] \quad (22)$$

where

$$u = \frac{L l_p q^2}{6} \quad (23)$$

Eq.(22) best fitting to experimental data shown in Figure 6 yields to the following values of the two lengths: $L = 547$ nm, $l_p = 2.13$ nm. These values are compatible with the average mesh size found. Indeed, the value of L implies that, on average, each polymeric chain is involved in about 10 – 20 meshes. In addition, the persistence length l_p (rigid chain portion) seems compatible with meshes spanning in the range 30 – 44 nm (see Table 3 and 4).

Figure 7 reports the comparison between the average mesh diameter evaluated by means of rheology and LF-NMR for the gels 10-ABC, 20-ABC and 30-ABC. In order to perform a more exhaustive comparison, the horizontal axis reports the shear modulus (G) competing to each gels. It can be observed that when G exceeds about 140 Pa, both methods lead to similar values. However, for smaller G , rheology gives to a larger estimation of the average mesh size. This fact could be explained by the presence of dangling chains that, being bound to one end of the network, are elastically inactive and, thus, irrelevant for the determination of G and ξ according to the rheological approach (see eq.(3))⁶¹. On the contrary, for the LF-NMR approach (see eq.(12)), both elastically active and inactive chains are important. As the number of dangling chains can be roughly connected to the viscous properties of the gel (G''), it is reasonable to say that dangling chains have a smaller and smaller effect when G increases. In our case, this G threshold appears to be around 140 Pa.

Figure 8, reporting the comparison between the average mesh diameter evaluated by means of rheology and LF-NMR for the gels 30-A-2H-3H, 30-B-2H-3H and 30-C-2H-3H, substantially confirms the above discussed experimental evidences. Indeed, for $G > 100$ Pa, the rheological and the LF-NMR approach yield to similar estimation of the average mesh size.

Finally, Figure 9 reports the continuous mesh distribution referring to gel 20-A (chosen as a representative example of all other gels) determined according to the LF-NMR approach (see eq.(18)). It can be seen that the most probable mesh size is around 40 nm while the distribution spans from about 25 nm up to 120 nm.

Conclusions

PVP hydrogels have been prepared by photo-reticulation of the polymer aqueous solutions. Chain crosslinking is determined by on recombination of macroradicals produced by UV irradiation of H_2O_2 which is used as photo-initiator. The effects of irradiation dose and of the polymer and photo-initiator concentration were elucidated by means of a combined use of two experimental techniques: rheology and low field NMR. The comparison of the results, leading to different estimation of the network mesh size, revealed the presence of a complex structure of the hydrogel networks, comprehending more elastically active chains, and an elastically inactive/viscous portion composed by dangling chains, experimentally “invisible” to the rheological measurements. This interpretation was confirmed both by the measurement of

the water self-diffusion coefficient and the by SAXS in all the samples under study. Accordingly, the two methods converge to similar mesh size values in the stronger hydrogel where the elastic response prevails over the viscous one. These encouraging results suggest that this technique can potentially find further applications on other types of hydrogel networks.

Acknowledgements

This project was part of IDUN centre of excellence funded by the Danish National Research Foundation (DNRF 122) and the Villum Foundation (grant no. 9301). This work was supported by the Italian Ministry of Education (PRIN 2010-11 (20109PLMH2)). The authors thank Stephania Baldursdottir (University of Copenhagen), Thomas Rades (University of Copenhagen), Anette Müllertz (University of Copenhagen) and Sabrina Pricl (University of Trieste) for the interesting and fruitful discussions.

Notes and references

^a Department of Micro- and Nanotechnology, Technical University of Denmark (DTU), Kongens Lyngby, Ørsteds Plads Bygning 345Ø, 2800 Kgs., Denmark.

^b Department of Life Sciences, Cattinara Hospital, University of Trieste, Strada di Fiume 447, 34100 Trieste, Trieste, I-34127.

^c Department of Engineering and Architecture, University of Trieste, via Valerio 6, Trieste, I-34127.

^d Department of Chemical and Biochemical Engineering, Technical University of Denmark (DTU), Kongens Lyngby, Søtofts Plads 227, 2800 Kgs., Denmark.

^e National Research Council (CNR), Institute of Polymer Composites and Biomaterials, P.le Enrico Fermi 1, 80055 Portici Napoli Italy.
ste

- 1 Peppas, N. A., Bures P., Leobandung, W., and Ichikawa, H., *Eur. J. Pharm. Biopharm.*, **50**, 27–46 (2000).
- 2 Ishihara, M., Nakanishi, K., Ono, K., Sato, M., Kikuchi, M., Saito, Y., Yura, H., Matsui, T., Hattori, H., Uenoyama, M. and Kurita, A., *Biomaterials*, **23**, 833–840 (2002).
- 3 Kirker, K. R., Luo, Y., Nielson, J. H., Shelby J. and Prestwich, G. D., *Biomaterials*, **23**, 3661–3671 (2002).
- 4 Jeong, B., Bae, Y. H., and Kim, S. W., *J. Control. Release*, **63**, 155–163 (2000).
- 5 Yu, L. and Ding, J., *Chem. Soc. Rev.*, **37**, 1473–81 (2008).
- 6 Galler, K. M., Hartgerink, J. D., Cavender, A. C., Schmalz, G. and D'Souza, R. N., *Tissue Eng. Part A*, **18**, 176–84 (2012).
- 7 Elisseeff, J., Anseth, K., Sims, D., McIntosh, W., Randolph, M. and Langer, R., *Proc. Natl. Acad. Sci.*, **96**, 3104–3107 (1999).

- 8 Xinming, L., Yingde, C., Lloyd, A. W., Mikhailovsky, S. V., Sandeman, S. R., Howel, C. A. and Liewen, L., *Cont. Lens Anterior Eye*, **31**, 57–64 (2008).
- 9 Mahoney, M. J., and Anseth, K. S., *Biomaterials*, **27**, 2265–74 (2006).
- 10 Nguyen, K. T., and West, J. L., *Biomaterials*, **23**, 4307–4314 (2002).
- 11 Am Ende, M. T., and Peppas, N. A., *J. Control. Release*, **48**, 47–56 (1997).
- 12 Brazel, C. S. and Peppas, N. A., *Eur. J. Pharm. Biopharm.*, **49**, 47–58 (2000).
- 13 Grassi, M., Lapasin, R., Coviello, T., Matricardi, P., Di Meo, C., and Alhaique, F., *Carbohydr. Polym.*, **78**, 377–383 (2009).
- 14 Turco, G., Donati, I., Grassi, M., Marchioli, G., Lapasin, R., and Paoletti, S., *Biomacromolecules*, **12**, 1272–82 (2011).
- 15 Ajji, Z., Othman, I., and Rosiak, J. M., *Nucl. Instruments Methods Phys. Res. Sect. B Beam Interact. with Mater. Atoms*, **229**, 375–380 (2005).
- 16 Fernandes, R., and Gracias, D. H., *Adv. Drug Deliv. Rev.*, **64**, 1579–89 (2012).
- 17 Chirra, H. D., and Desai, T. A., *Small*, **8**, 3839–46 (2012).
- 18 Fox, C. B., Chirra, H. D., and Desai, T. A., *Curr. Pharm. Biotechnol.*, **15**, 673–83 (2014).
- 19 Marizza, P., Keller, S. S., and Boisen A., *Microelectron. Eng.*, **111**, 391–395 (2013).
- 20 Marizza, P., Keller, S. S., Müllertz, A., and Boisen, A., *J. Control. Release*, **173**, 1–9 (2014).
- 21 Casadei, M. A., Cerreto, F., Cesa, S., Giannuzzo, M., Feeney, M., Marianecchi, C. and Paolicelli, P., *Int. J. Pharm.*, **325**, 140–6 (2006).
- 22 Pitarresi, G., Casadei, M. A., Mandracchia, D., Paolicelli, P., Palumbo, F. S., and Giammona, G., *J. Control. Release*, **119**, 328–38 (2007).
- 23 Tripodo, G., Pitarresi, G., Palumbo, F. S., Craparo, E. F., and Giammona, G., *Macromol. Biosci.*, **5**, 1074–84 (2005).
- 24 Decker, C., *Macromol. Rapid Commun.*, **23**, 1067–1093 (2002).
- 25 Zhu, X., Lu, P., Chen, W., and Dong, J., *Polymer (Guildf)*, **51**, 3054–3063 (2010).
- 26 Williams, C. G., Malik, A. N., Kim, T. K., Manson, P. N., and Elisseeff, J. H., *Biomaterials*, **26**, 1211–1218 (2005).
- 27 Cooley, P., *J. Assoc. Lab. Autom.*, **7**, 33–39 (2002).

- 28 Haaf, F., Sanner, A., and Straub, F., *Polym. J.*, **17**, 143–152 (1985).
- 29 Rosiak, J., Olejniczak, J. and Pękala, W., *Int. J. Radiat. Appl. Instrumentation. Part C. Radiat. Phys. Chem.*, **36**, 747–755 (1990).
- 30 Lopérgolo, L. C., Lugão, A. B., and Catalani, L. H., *Polymer (Guildf.)*, **44**, 6217–6222 (2003).
- 31 Fechine, G. J. M., Barros, J. A. G., and Catalani, L. H., *Polymer (Guildf.)*, **45**, 4705–4709 (2004).
- 32 D’Errico, G., De Lellis, M., Mangiapia, G., Tedeschi, A., Ortona, O., Fusco, S., Borzacchiello, A. and Ambrosio, L., *Biomacromolecules*, **9**, 231–40 (2008).
- 33 Chui, M. M., Phillips, R. J. and McCarthy, M. J., *J. Colloid Interface Sci.*, **174**, 336–344 (1995).
- 34 Scherer, G. W., *J. Sol-Gel Sci. Technol.*, **1**, 285–291 (1994).
- 35 Kuijpers, A. J., M., Engbers, G. H., Feijen, J., De Smedt, S. C., Meyvis, T. K. L., Demeester, J., Krijgsveld J., Zaat S. A. J. and Dankert J., *Macromolecules*, **32**, 3325–3333 (1999).
- 36 Lapasin, R., and Pricl, S., in *Rheology of industrial polysaccharides: theory and applications*, pp. 250–494 (1995).
- 37 Draper N. R. and Smith H., *J. R. Stat. Soc.*, **48**, 140–141 (1999).
- 38 Pasut, E., Toffanin, R., Voinovich, D., Pedersini, C., Murano, E., and Grassi, M., *J. Biomed. Mater. Res. A*, **87**, 808–18 (2008).
- 39 Flory, P. J., *Principles of polymer chemistry*, Cornell University Press, (1953).
- 40 Schurz, J., *Prog. Polym. Sci.*, **16**, 1–53 (1991).
- 41 Holz, M., , Heil S. R., and Sacco, A., *Phys. Chem. Chem. Phys.*, **2**, 4740–4742 (2000).
- 42 Meiboom, S., and Gill, D., *Rev. Sci. Instrum.*, **29**, 688 (1958).
- 43 Whittall K. P. and MacKay A. L., *J. Magn. Reson.*, **84**, 134–152 (1989).
- 44 Provencher, S. W., *Comput. Phys. Commun.*, **27**, 213–227 (1982).
- 45 Wang, X., and Ni, Q., *J. Orthop. Res.*, **21**, 312–9 (2003).
- 46 Coviello, T., Matricardi, P., Alhaique, F., Farra, R., Tesei, G., Fiorentino, S., Asaro F., Milcovich G., and Grassi. M., *Express Polymer Letters*, 7(9) 733–746 (2013).

- 47 Abrami, M., D'Agostino, I., Milcovich, G., Fiorentino, S., Farra, R., Asaro, F., Lapasin, R., Grassi, G. and Grassi, M., *Soft Matter*, **10**, 729–37 (2014).
- 48 Latour, L. L., Mitra, P. P., Kleinberg, R. L. and Sotak, C. H., *J. Magn. Reson. Ser. A*, **101**, 342–346 (1993).
- 49 Theodorou, D. N., and Suter, U. W., *Macromolecules*, **18**, 1467–1478 (1985).
- 50 Scocchi, G., Posocco, P., Handgraaf, J.-W., Fraaije, J. G. E. M., Fermeglia, M., and Pricl, S., *Chemistry*, **15**, 7586–92 (2009).
- 51 Toth, R., Santese, F., Pereira, S. P., Nieto, D. R., Pricl, S., Fermeglia, M., and Posocco, P., *J. Mater. Chem.*, **22**, 5398 (2012).
- 52 Toth, R., Voorn, D.-J., Handgraaf, J.-W., Fraaije, J. G. E. M., Fermeglia, M., Pricl, S., and Posocco, P. *Macromolecules*, **42**, 8260-8270 (2009).
- 53 Jorgensen, W. L., Chandrasekhar, J., Madura, J. D., Impey, R. W., and Klein, M. L., *J. Chem. Phys.*, **79**, 926 (1983).
- 54 Berendsen, H. J. C., Postma, J. P. M., van Gunsteren, W. F., DiNola, A., and Haak, J. R., *J. Chem. Phys.*, **81**, 3684 (1984).
- 55 Toukmaji, A., Sagui, C., Board, J., and Darden, T., *J. Chem. Phys.*, **113**, 10913 (2000).
- 56 Prathab, B., and Aminabhavi, T. M., *Langmuir*, **23**, 5439–44 (2007).
- 57 Mahabadi, H. K., and Rudin, A., *Polym. J.*, **11**, 123–131 (1979).
- 58 Winter, H. H., *J. Rheol. (N. Y. N. Y.)*, **30**, 367 (1986).
- 59 D'Errico, G., De Lellis, M., Mangiapia, G., Tedeschi, A., Ortona, O., Fusco, S., Borzacchiello, A., and Ambrosio, L., *Biomacromolecules*, **9**, 231–240 (2008).
- 60 Kratky, O., and Porod, G., *Recl. des Trav. Chim. des Pays-Bas-Journal R. Netherlands Chem. Soc.*, **68**, 1106–1122 (1949).
- 61 Frankær, S. M. G., Jensen, M. K., Bejenariu, A. G., and Skov, A. L., *Rheol. Acta*, **51**, 559–567 (2012).