



Topology optimization of structures and infill for additive manufacturing

Sigmund, Ole; Clausen, Anders; Groen, Jeroen Peter; Wu, Jun

Publication date:
2017

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Sigmund, O., Clausen, A., Groen, J. P., & Wu, J. (2017). *Topology optimization of structures and infill for additive manufacturing*. Abstract from Simulation for Additive Manufacturing, Munich, Germany.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Topology optimization of structures and infill for additive manufacturing

Ole Sigmund¹, Anders Clausen¹, Jeroen P. Groen¹, and Jun Wu²

¹ Department of Mechanical Engineering, Technical University of Denmark, 28200 Lyngby, Denmark,
e-mail: sigmund@mek.dtu.dk, web page: <http://www.topopt.dtu.dk/>

² Department of Design Engineering, Delft University of Technology, Delft, The Netherlands

Key Words: *Structural optimization, Topology Optimization, Additive Manufacturing, Infill.*

Topology optimization (TO) [1] is a widely used tool for generating optimal structures for subsequent realization by additive manufacturing (AM) methods. TO is a numerical method that, based on iterated finite element analyses, gradient-based optimization algorithms and design parameterizations described by point clouds, delivers optimal but often rather complex topologies. As such, TO is a design method that takes full advantage of the large design freedom offered by AM technologies. Much recent effort in the TO community has been devoted to the development of algorithms that take manufacturing constraints into account, such as overhang angles, printing directions and minimization of support material. In this talk we will discuss recent developments in simultaneous design of structures and their infill.

Infill in AM is often used to save material consumption and weight. Infill is also used as a design gimmick to illustrate the capabilities of AM to mimic natural creations like honeycombs and bone structure. Partly for manufacturing reasons, infill microstructure is often built as open-walled foam structures. However, as maybe unknown by many, open-walled microstructures are not optimal with respect to stiffness [2]. Even if one builds structures with uniform and stiffer closed-walled infill, it does not beat simple solid structures with regards to stiffness. On the other hand, porous infill structures may possess an advantage with regards to buckling stability compared to their solid counterparts [3].

The talk will discuss above issues in more detail and present recent developments with regards to topology optimization with uniform and isotropic infill [3, 4, 5], anisotropic infill for fixed outer geometries [6], simultaneous anisotropic infill and structural design [7], as well as recent developments in multi-scale topology optimization approaches that may speed up the previously mentioned approaches [8].

References

- [1] M. P. Bendsøe and O. Sigmund. *Topology Optimization - Theory, Methods and Applications*. Springer Verlag, Berlin Heidelberg, 2004.
- [2] O. Sigmund, N. Aage, and E. Andreassen. On the (non-)optimality of Michell structures. *Structural and Multidisciplinary Optimization*, 54:361–372, 2016.




Figure 1: Examples of topology optimization of structures with infill. From [6] (left) and [7] (right).

- [3] A. Clausen, N. Aage, and O. Sigmund. Exploiting additive manufacturing infill in topology optimization for improved buckling load. *Engineering*, 2:250–257, 2016.
- [4] A. Clausen, N. Aage, and O. Sigmund. Topology optimization of coated structures and material interface problems. *Computer Methods in Applied Mechanics and Engineering*, 290:524–541, 2015.
- [5] A. Clausen, E. Andreassen, and O. Sigmund. Topology optimization of 3d shell structures with porous infill. *Acta Mechanica Sinica*, 2017. accepted.
- [6] J. Wu, N. Aage, R. Westermann, and O. Sigmund. Infill optimization for additive manufacturing – approaching bone-like porous structures. *Transactions on Visualization and Computer Graphics*, 2017. Online first.
- [7] J. Wu, A. Clausen, and O. Sigmund. Topology optimization of shell-infill composites for additive manufacturing. *Submitted*, 2017.
- [8] J.P. Groen and O. Sigmund. Homogenization-based topology optimization for high-resolution manufacturable micro-structures. *International Journal of Numerical methods in engineering*, 2017. online.