



A certain shade of green: New insights into shading effects of nanoparticles on algal growth

Hjorth, Rune; Sørensen, Sara Nørgaard; Olsson, Mikael Emil; Baun, Anders; Hartmann, Nanna Isabella Bloch

Publication date:
2015

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Hjorth, R., Sørensen, S. N., Olsson, M. E., Baun, A., & Hartmann, N. I. B. (2015). *A certain shade of green: New insights into shading effects of nanoparticles on algal growth*. Poster session presented at SETAC Europe 25th Annual Meeting, Barcelona, Spain.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

A certain shade of green: New insights into shading effects of nanoparticles on algal growth

Rune Hjorth, Sara Nørgaard Sørensen, Mikael Emil Olsson, Anders Baun and Nanna Bloch Hartmann

Technical University of Denmark, Department of Environmental Engineering, DK-2800 Kgs. Lyngby, Denmark
Corresponding author: ruhj@env.dtu.dk

Nanoparticles and shading in ecotoxicology

Inhibitory effects of nanoparticles on algal growth have been the subject of many scientific studies. Physical effects – such as shading on a cellular level – is considered a potential effect mechanism (e.g. Hartmann et al., 2012; Schwab et al., 2011; Aruoja et al., 2009).

A change in pigment composition upon nanoparticle exposure has been hypothesized to indicate shading on a cellular level (Wei et al., 2010). Pigment composition is known to be affected by changes in light conditions as a result of photo-acclimation. Here we investigate the pigment composition of green algae and how the composition change as a result of shading.

Method


The green microalgae *Pseudokirchneriella subcapitata* was incubated as described in OECD TG 201 using a mini-scale algal test (Arensberg et al., 1995) with different natural density filters on the outside of the vials which only allow for respectively 71, 25, 13 and 6 % light transmission through the glass.

The algae pigments were extracted with acetone and analysed with HPLC-DAD.




Carotenoid biosynthetic pathway

Green algae increase their content of xanthophylls at high light intensities and decrease them at lower levels.




In our extractions, the xanthophylls lutein, violaxanthin and neoxanthin as well as chlorophyll a and b were found in high enough concentrations to quantify.

Changes in pigment composition due to shading




Corrected growth rate



Normal growth rate calculations are often based on chlorophyll concentrations (e.g. fluorescence measurements). However, a relative increase in chlorophyll can be caused by shading. A corrected growth rate can be estimated if the change in pigment composition due to shading is known.

Conclusion

- It was confirmed that pigment ratios in green algae *P. subcapitata* are correlated to light intensity and thereby affected by shading.
- Using this method we will test suspensions of nanoparticles suspected to affect algae growth through shading.
- This method will assist to elucidate the effect mechanisms of nanoparticles and other turbid solutions towards algae.



Arensberg, P., Hemmingsen, V. H., & Nyholm, N. (1995). A miniscale algal toxicity test. *Chemosphere*, 30 (11), 2103-2115.

Aruoja, V., Dubourguier, H. C., Kasemets, K., & Kahru, A. (2009). Toxicity of nanoparticles of CuO, ZnO and TiO₂ to microalgae *Pseudokirchneriella subcapitata*. *Science of the total environment*, 407(4), 1461-1468.

Cuttriss, A.J., Chubb, A.C., Alawady, A., Grimm, B., & Pogson, B.J. (2007). Regulation of lutein biosynthesis and prolamellar body formation in Arabidopsis. *Functional Plant Biology*. 34. p.p. 663-672.

Hartmann, N. B., Engelbrekt, C., Zhang, J., Ulstrup, J., Kusk, K. O., & Baun, A. (2012). The challenges of testing metal and metal oxide nanoparticles in algal bioassays: titanium dioxide and gold nanoparticles as case studies. *Nanotoxicology*, 7(6), 1082-1094.

Schwab, F., Bucheli, T. D., Lukhele, L. P., Magrez, A., Nowack, B., Sigg, L., & Knauer, K. (2011). Are carbon nanotube effects on green algae caused by shading and agglomeration?. *Environmental science & technology*, 45(14), 6136-6144.

Wei, C., Zhang, Y., Guo, J., Han, B., Yang, X., & Yuan, J. (2010). Effects of silica nanoparticles on growth and photosynthetic pigment contents of *Scenedesmus obliquus*. *Journal of Environmental Sciences*. 22 (1). p.p. 155-160.

